SEQUENCE TYPE: Nucleic Acid SEQUENCE LENGTH: 1207 Base Pairs

STRANDEDNESS: Double or Single TOPOLOGY: Linear

MOLECULAR TYPE: DNA or cDNA from mRNA

ORIGINAL SOURCE: -ORGANISM: Human

IMMEDIATE EXPERIMENTAL SOURCE: Embryo Tissue

PROPERTIES: Sequence Coding for Human TGF-6-like Protein (MP-52)

ACCGGGCGGC	CCTGAACCCA	AGCCAGGACA	CCCTCCCCAA	ACAAGGCAGG	CTACAGCCCG	60
GACTGTGACC	CCAAAAGGAC	AGCTTCCCGG	AGGCAAGGCA	CCCCCAAAAG	CAGGATCTGT	120
CCCCAGCTCC	TTCCTGCTGA	AGAAGGCCAG	GGAGCCCGGG	CCCCCACGAG	AGCCCAAGGA	180
GCCGTTTCGC	CCACCCCCA	TCACACCCCA	CGAGTACATG	CTCTCGCTGT	ACAGGACGCT	240
GTCCGATGCT	GACAGAAAGG	GAGGCAACAG	CAGCGTGAAG	TTGGAGGCTG	GCCTGGCCAA	300
CACCATCACC	AGCTTTATTG	ACAAAGGGCA	AGATGACCGA	GGTCCCGTGG	TCAGGAAGCA	360
GAGGTACGTG	TTTGACATTA	GTGCCCTGGA	GAAGGATGGG	CTGCTGGGGG	CCGAGCTGCG	420
GATCTTGCGG	AAGAAGCCCT	CGGACACGGC	CAAGCCAGCG	GCCCCGGAG	GCGGGCGGGC	480
TGCCCAGCTG	AAGCTGTCCA	GCTGCCCCAG	CGGCCGGCAG	CCGGCCTCCT	TGCTGGATGT	540
GCGCTCCGTG	CCAGGCCTGG	ACGGATCTGG	CTGGGAGGTG	TTCGACATCT	GGAAGCTCTT	600
CCGAAACTTT	AAGAACTCGG	CCCAGCTGTG	CCTGGAGCTG	GAGGCCTGGG	AACGGGGCAG	660
GGCCGTGGAC	CTCCGTGGCC	TGGGCTTCGA	CCGCGCCGCC	CGGCAGGTCC	ACGAGAAGGC	720
CCTGTTCCTG	GTGTTTGGCC	GCACCAAGAA	ACGGGACCTG	TTCTTTAATG	AGATTAAGGC	780
CCGCTCTGGC	CAGGACGATA	AGACCGTGTA	TGAGTACCTG	TTCAGCCAGC	GGCGAAAACG	840
GCGGGCCCCA	CTGGCCACTC	GCCAGGGCAA	GCGACCCAGC	AAGAACCTTA	AGGCTCGCTG	900
CAGTCGGAAG	GCACTGCATG	TCAACTTCAA	GGACATGGGC	TGGGACGACT	GGATCATCGC	960
ACCCCTTGAG	TACGAGGCTT	TCCACTGCGA	GGGGCTGTGC	GAGTTCCCAT	TGCGCTCCCA	1020
CCTGGAGCCC	ACGAATCATG	CAGTCATCCA	GACCCTGATG	AACTCCATGG	ACCCCGAGTC	1080
CACACCACCC	ACCTGCTGTG	TGCCCACGCG	GCTGAGTCCC	ATCAGCATCC	TCTTCATTGA	1140
CTCTGCCAAC	AACGTGGTGT	ATAAGCAGTA	TGAGGACATG	GTCGTGGAGT	CGTGTGGCTG	1200
CAGGTAG						1207

SEQUENCE TYPE: Nucleic Acid SEQUENCE LENGTH: 2272 Base Pairs

STRANDEDNESS: Double or Single

TOPOLOGY: Linear MOLECULAR TYPE: cDNA from mRNA

ORIGINAL SOURCE: -ORGANISM: Human

IMMEDIATE EXPERIMENTAL SOURCE: Liver Tissue

PROPERTIES: Sequence Coding for Human TGF-£-like Protein (MP-121)

CAAGGAGCCA TGCCAGCTG	ACACACACTT	CTTCCAGGGC	CTCTGGCAGC	CAGGACAGAG	60
TTGAGACCAC AGCTGTTGAG	ACCCTGAGCC	CTGAGTCTGT	ATTGCTCAAG	AAGGGCCTTC	120
CCCAGCAATG ACCTCCTCAT	TGCTTCTGGC	CTTTCTCCTC	CTGGCTCCAA	CCACAGTGGC	180
CACTCCCAGA GCTGGCGGT	AGTGTCCAGC	ATGTGGGGG	CCCACCTTGG	AACTGGAGAG	240
CCAGCGGGAG CTGCTTCTTC	ATCTGGCCAA	GAGAAGCATC	TTGGACAAGC	TGCACCTCAC	300
CCAGCGCCCA ACACTGAACO	GCCCTGTGTC	CAGAGCTGCT	TTGAGGACTG	CACTGCAGCA	360
CCTCCACGGG GTCCCACAGG	GGGCACTTCT	AGAGGACAAC	AGGGAACAGG	AATGTGAAAT	420
CATCAGCTTT GCTGAGACAC	GCCTCTCCAC	CATCAACCAG	ACTCGTCTTG	ATTTTCACTT	480
CTCCTCTGAT AGAACTGCTC	GTGACAGGGA	GGTCCAGCAG	GCCAGTCTCA	TGTTCTTTGT	540
GCAGCTCCCT TCCAATACCA	CTTGGACCTT	GAAAGTGAGA	GTCCTTGTGC	TGGGTCCACA	600
TAATACCAAC CTCACCTTG	CTACTCAGTA	CCTGCTGGAG	GTGGATGCCA	GTGGCTGGCA	660
TCAACTCCCC CTAGGGCCTC	AAGCTCAAGC	TGCCTGCAGC	CAGGGGCACC	TGACCCTGGA	720
GCTGGTACTT GAAGGCCAG	TAGCCCAGAG	CTCAGTCATC	CTGGGTGGAG	CTGCCCATAG	780
GCCTTTTGTG GCAGCCCGGC	TGAGAGTTGG	GGGCAAACAC	CAGATTCACC	GACGAGGCAT	840
CGACTGCCAA GGAGGGTCCA	GGATGTGCTG	TCGACAAGAG	TTTTTTGTGG	ACTTCCGTGA	900
GATTGGCTGG CACGACTGGA	TCATCCAGCC	TGAGGGCTAC	GCCATGAACT	TCTGCATAGG	960
GCAGTGCCCA CTACACATAC	CAGGCATGCC	TGGTATTGCT	GCCTCCTTTC	ACACTGCAGT	1020
GCTCAATCTT CTCAAGGCCA	ACACAGCTGC	AGGCACCACT	GGAGGGGGCT	CATGCTGTGT	1080
ACCCACGGCC CGGCGCCCCC	TGTCTCTGCT	CTATTATGAC	AGGGACAGCA	ACATTGTCAA	1140
GACTGACATA CCTGACATGO	TAGTAGAGGC	CTGTGGGTGC	AGTTAGTCTA	TGTGTGGTAT	1200
GGGCAGCCCA AGGTTGCATC	GGAAAACACG	CCCCTACAGA	AGTGCACTTC	CTTGAGAGGA	1260
GGGAATGACC TCATTCTCTC	TCCAGAATGT	GGACTCCCTC	TTCCTGAGCA	TCTTATGGAA	1320
ATTACCCCAC CTTTGACTTC	AAGAAACCTT	CATCTAAAGC	AAGTCACTGT	GCCATCTTCC	1380
TGACCACTAC CCTCTTTCC	AGGGCATAGT	CCATCCCGCT	AGTCCATCCC	GCTAGCCCCA	1440

	CTCCAGGGAC	TCAGACCCAT	CTCCAACCAT	GAGCAATGCC	ATCTGGTTCC	CAGGCAAAGA	1500
	CACCCTTAGC	TCACCTTTAA	TAGACCCCAT	AACCCACTAT	GCCTTCCTGT	CCTTTCTACT	1560
	CAATGGTCCC	CACTCCAAGA	TGAGTTGACA	CAACCCCTTC	CCCCAATTTT	TGTGGATCTC	1620
	CAGAGAGGCC	CTTCTTTGGA	TTCACCAAAG	TTTAGATCAC	TGCTGCCCAA	AATAGAGGCT	1680
	TACCTACCCC	CCTCTTTGTT	GTGAGCCCCT	GTCCTTCTTA	GTTGTCCAGG	TGAACTACTA	1740
	AAGCTCTCTT	TGCATACCTT	CATCCATTTT	TTGTCCTTCT	CTGCCTTTCT	CTATGCCCTT	1800
	AAGGGGTGAC	TTGCCTGAGC	TCTATCACCT	GAGCTCCCCT	GCCCTCTGGC	TTCCTGCTGA	1860
	GGTCAGGGCA	TTTCTTATCC	CTGTTCCCTC	TCTGTCTAGG	TGTCATGGTT	CTGTGTAACT	1920
,	GTGGCTATTC	TGTGTCCCTA	CACTACCTGG	CTACCCCCTT	CCATGGCCCC	AGCTCTGCCT	1980
•	ACATTCTGAT	TTTTTTTTT	TTTTTTTTT	TGAAAAGTTA	AAAATTCCTT	AATTTTTTAT	2040
,	TCCTGGTACC	ACTACCACAA	TTTACAGGGC	AATATACCTG	ATGTAATGAA	AAGAAAAGA	2100
	AAAAGACAAA	GCTACAACAG	ATAAAAGACC	TCAGGAATGT	ACATCTAATT	GACACTACAT	2160
•	TGCATTAATC	AATAGCTGCA	CTTTTTGCAA	ACTGTGGCTA	TGACAGTCCT	GAACAAGAAG	2220
•	GGTTTCCTGT	TTAAGCTGCA	GTAACTTTTC	TGACTATGGA	TCATCGTTCC	TT	2272

SEQUENCE TYPE: Amino Acid SEQUENCE LENGTH: 401 Amino Acids

ORIGINAL SOURCE: -

ORGANISM: Human
IMMEDIATE EXPERIMENTAL SOURCE: Embryo Tissue

PROPERTIES: Human TGF-ß-like Protein (MP-52)

PGGPEPKPGH	PPQTRQATAR	TVTPKGQLPG	GKAPPKAGSV	PSSFLLKKAR	EPGPPREPKE	60
PFRPPPITPH	EYMLSLYRTL	SDADRKGGNS	SVKLEAGLAN	TITSFIDKGQ	DDRGPVVRKQ	120
RYVFDISALE	KDGLLGAELR	ILRKKPSDTA	KPAAPGGGRA	AQLKLSSCPS	GRQPASLLDV	180
RSVPGLDGSG	WEVFDIWKLF	RNFKNSAQLC	LELEAWERGR	AVDLRGLGFD	RAARQVHEKA	240
LFLVFGRTKK	RDLFFNEIKA	RSGQDDKTVY	EYLFSQRRKR	RAPLATROGK	RPSKNLKARC	300
SRKALHVNFK	DMGWDDWIIA	PLEYEAFHCE	GLCEFPLRSH	LEPTNHAVIQ	TLMNSMDPES	360
TPPTCCVPTR	LSPISILFID	SANNVVYKQY	EDMVVESCGC	R		401

SEQUENCE TYPE: Amino Acid SEQUENCE LENGTH: 352 Amino Acids

ORIGINAL SOURCE: - ORGANISM: Human

PROPERTIES: Human TGF-ß-like Protein (MP-121)

MTSSLLLAFL	LLAPTTVATP	RAGGQCPACG	GPTLELESQR	ELLLDLAKRS	ILDKLHLTQR	60
PTLNRPVSRA	ALRTALQHLH	GVPQGALLED	NREQECEIIS	FAETGLSTIN	QTRLDFHFSS	120
DRTAGDREVQ	QASLMFFVQL	PSNTTWTLKV	RVLVLGPHNT	NLTLATQYLL	EVDASGWHQL	180
PLGPEAQAAC	SQGHLTLELV	LEGQVAQSSV	ILGGAAHRPF	VAARVRVGGK	HQIHRRGIDC	240
QGGSRMCCRQ	EFFVDFREIG	WHDWIIQPEG	YAMNFCIGQC	PLHIAGMPGI	AASFHTAVLN	300
LLKANTAAGT	TGGGSCCVPT	ARRPLSLLYY	DRDSNIVKTD	IPDMVVEACG	CS	3 [.] 52

SEQUENCE TYPE: Nucleic Acid SEQUENCE LENGTH: 265 Base Pairs

STRANDEDNESS: Double or Single

TOPOLOGY: Linear MOLECULAR TYPE: cDNA from mRNA

ORIGINAL SOURCE: -ORGANISM: Human

IMMEDIATE EXPERIMENTAL SOURCE: Liver Tissue

PROPERTIES: Sequence coding for a Part of the Mature Human TGF-ß-like Protein (MP-121)

CATCCAGCCT	GAGGGCTACG	CCATGAACTT	CTGCATAGGG	CAGTGCCCAC	TACACATAGC	60
AGGCATGCCT	GGTATTGCTG	CCTCCTTTCA	CACTGCAGTG	CTCAATCTTC	TCAAGGCCAA	. 120
CACAGCTGCA	GGCACCACTG	GAGGGGGCTC	ATGCTGTGTA	CCCACGGCCC	GGCGCCCCCT	180
GTCTCTGCTC	TATTATGACA	GGGACAGCAA	CATTGTCAAG	ACTGACATAC	CTGACATGGT	240
AGTAGAGGCC	TGTGGGTGCA	GTTAG				265

.

SEQUENCE TYPE: Nucleic Acid SEQUENCE LENGTH: 139 Base Pairs

STRANDEDNESS: Double or Single TOPOLOGY: Linear

MOLECULAR TYPE: cDNA from mRNA

ORIGINAL SOURCE: -ORGANISM: Human

IMMEDIATE EXPERIMENTAL SOURCE: Embryo Tissue

PROPERTIES: Sequence Coding for a Part of the Mature Human TGF-ß-like Protein

CATCGCACCC CTTGAGTACG AGGCTTTCCA CTGCGAGGGG CTGTGCGAGT TCCCATTGCG 60 CTCCCACCTG GAGCCCACGA ATCATGCAGT CATCCAGACC CTGATGAACT CCATGGACCC 120 CGAGTCCACA CCACCCACC 139

Figure la

	10	20	30	40	50	
MP 52	CSRKALHVNF	KDMGWDDWII	APLEYEAFHC	EGLCEFPLRS	HLEPINHAVI	
BMP 2	CKRHPLYVDF	SDVGWNDWIV	APPGYHAFYC	HGECPFPLAD	VIAHNIZNIH	
BMP 4	CRRHSLYVDF	SDVGWNDWIV	APPGYQAFYC	HGDCPFPLAD	VIAHNIZNIH	
BMP 5	CKKHELYVSF	RDLGWQDWII	APEGYAAFYC	DGECSFPLNA	VIAHNTANMH	
BMP 6	CRKHELYVSF	QDLGWQDWII	APKGYAANYC	DGECSFPLNA	VIAHNTANMH	
BMP 7	CKKHELYVSF		APEGYAAYYC			
		· · · · · · · · · · · · · · · · · · ·		T T	**	
	60	70	. 80	90	100	
MP 52		,			YEDMVVESCG	CF
BMP 2	QTLVNSVNS-	KIPKACCVPT	ELSAISMLYL	DENEKVVLKN	YQDMVVEGCG	CF
BMP 4	QTLVNSVNS-	SIPKACCVPT	ELSAISMLYL	DEYDKVVLKN	YQEMVVEGCG	CF
BMP 5	QTLVHLMFPD	HVPKPCCAPT	KLNAISVLYF	DDSSNVILKK	YRNMVVRSCG	Œ
BMP 6	QTLVHLMNPE	YVPKPCCAPT	KLNAISVLYF	DDNSNVILKK	YRNMVVRACG	Œ
BMP 7	QTLVHFINPE	TVPKPCCAPT	QLNAISVLYF	DDSSNVILKK	YRNMVVRACG	Œ
				± , + , +		

ķ

Figur 1b

90 100 110

ME121 LSLLYYDRDS NIVKTD-IPD MVVEACGCS

InhibβA MSMLYYDDGQ NIIKKD-IQN MIVEECGCS

InhibβB MSMLYFDDEY NIVKRD-VPN MIVEECGCA

Inhibα LHVRTTSDGG YSFKYETVPN LLTQHCACI

• • •

•

. . .

Figure 2a

Eco RI Nco I

ATGAATTCCCATGGACCTGGGCTGGMAKGAMTGGAT
ACCICCCICGAATGACICCAT
ATATTOGCTOGAGTGAATOGAT
ATGTGGGCTGGAATGACTGGAT
ACCIGGCIGGCAGGACIGGAT
AGGACCTCGGCTGGAAGTGGAT
CGGATCTACGCTCGAAATCGAT
AGGATCTGGGCTGGAAGTGGGT
AGCTGGGCTGGGAACGTGGAT
ACATCGGCTGGAATGACTGGAT
TCATCGGCTGGAACGACTGGAT

Figure 2b

Eco RI

OID	ATGAATTOGAGCTGCGTSGGSRCACAGCA
BMP 2	GAGTTCTGTCGGGACACAGCA
BMP 3	CATCTTTTCTGGTACACAGCA
BMP 4	CAGTTCAGTGGGCACACAACA
BMP 7	GAGCTGCGTGGCCGCACAGCA
TGF-ßl	CAGCGCCTGCGGCACGCA
TGF-ß2	TAAATCTTGGGACACGCAGCA
TGF-ß3	CAGGTCCTGGGGCACGCAGCA
inhibin $lpha$	CCCTGGGAGAGCAGCACAGCA
inhibin ${\mathbb S}_{\!\scriptscriptstyle{\mathbf A}}$	CAGCTTGGTGGCACACAGCA
inhibin $\mathbb{S}_{\!\scriptscriptstyle{\mathbf{R}}}$	CAGCTTGGTGGGAATGCAGCA